Toxicology Letters, 69 (1993) 295–296
Elsevier Science Publishers B.V.

AUTHOR INDEX VOL. 69 (1993)

Abdel-Rahman, M., see Ashour, H., 87
Abdel-Rahman, M.S., see El-shenawy, N.S., 77, 249
Amano, H., see Ema, M., 197
Ashour, H., Abdel-Rahman, M. and Khodair, A., The mechanism of methyl mercury toxicity in isolated rat hepatocytes, 87
Azzalis, L.A., see Junqueira, V.B.C., 211

Babich, H., Stern, A. and Munday, R., In vitro cytotoxicity of 1,4-naphthoquinone derivatives to replicating cells, 69
Babish, J.G., see Vancutsem, P.M., 1
Barbieri, F., see Catenacci, G., 217
Barros, S.B.M., see Junqueira, V.B.C., 211
Batra, R., see Kedderis, G.L., 25
Beg, M.U., see Khan, M.A., 63
Bersani, M., see Catenacci, G., 217
Bois, F.Y., see Woodruff, T.J., 181
Bosio, A., see Ugazio, G., 279
Burdino, E., see Ugazio, G., 279
Buster, D., see Liu, C.H., 239

Carrión, Y., see Junqueira, V.B.C., 211
Catenacci, G., Barbieri, F., Bersani, M., Ferioli, A., Cottica, D. and Maroni, M., Biological monitoring of human exposure to atrazine, 217
Cottica, D., see Catenacci, G., 217

Dacasto, M., see Ugazio, G., 279
Dees, C. and Travis, C., The mitogenic potential of trichloroethylene in B6C3F1 mice, 129
DePetrillo, P.B. and Kurl, R.N., Stimulation of protein kinase C by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in rat thymocytes, 31
Domingo, J.L., see Sánchez, D.J., 45

El-shenawy, N.S. and Abdel-Rahman, M.S., The mechanism of chloroform toxicity in isolated rat hepatocytes, 77
El-shenawy, N.S. and Abdel-Rahman, M.S., Evaluation of chloroform cardiotoxicity utilizing a modified isolated rat cardiac myocytes, 249
Ema, M., Amano, H., Itami, T. and Kawasaki, H., Teratogenic evaluation of di-*n*-butyl phthalate in rats, 197

Ferioli, A., see Catenacci, G., 217
Fernández, V., see Junqueira, V.B.C., 211
Fernández, V. and Videla, L.A., 3,3′,5-Triiodothyronine-induced hepatic respiration: Effects of desferrioxamine and allopurinol in the isolated perfused rat liver, 205
Ficklen, D., see Trieff, N.M., 121
Fujitani, T., Short-term effect of sodium benzoate in F344 rats and B6C3F1 mice, 171
Fukushima, S., see Kawabe, M., 37

Gan, J., see Trieff, N.M., 121
Glosson, J.A., see White, R.D., 15
Goldberg, D.I., see White, R.D., 15
Grammas, P., see Welder, A.A., 227

Held, S.D., see Kedderis, G.L., 25
Higgins, R.J., see Liu, C.H., 239
Hirose, M., see Kawabe, M., 37

Inman, C., see Peters, R.E., 53
Itami, T., see Ema, M., 197
Ito, N., see Kawabe, M., 37

Jansson, K. and Jansson, V., The toxicity of chlorophenols in V79 Chinese hamster cells, 289
Jansson, V., see Jansson, K., 289
Junqueira, V.B.C., Barros, S.B.M., Simizu, K., Fernández, V., Carrión, Y., Pimentel, R., Azzalis, L.A. and Videla, L.A., Turnover of hepatic glutathione after acute lindane intoxication, 211

Katzman, G.M. and Penney, D.G., Electrocardiographic responses to carbon monoxide and cyanide in the conscious rat, 139
Kawabe, M., Tamano, S., Shibata, M.-A., Hirose, M., Fukushima, S. and Ito, N., Subchronic toxicity study of methyl hesperidin in mice, 37
Kawasaki, H., see Ema, M., 197
Kedderis, G.L., Batra, R., Held, S.D., Loos, M.A. and Teo, S.K.O., Rodent tissue distribution of 2-cyanoethylene oxide, the epoxide metabolite of acrylonitrile, 25
Keen, C.L., see Sánchez, D.J., 45

Khan, M.A., Matin, M.A. and Beg, M.U., Effect of intratracheally administered lindane on aldrin and benzo(a)pyrene contents in lungs of rats, 63
Khodair, A., see Ashour, H., 87
Kido, T. and Nogawa, K., Dose–response relationship between total cadmium intake and β_2-microglobulinuria using logistic regression analysis, 113
Kuchan, M.J., see Wallig, M.A., 97
Kurl, R.N., see DePetrillo, P.B., 31

Liu, C.H., Higgins, R.J., Buster, D., Sanborn, J.R. and Wilson, B.W., The effect of organophosphates on a chicken brain or sea urchin egg kinesin-driven microtubule motility assay, 239
Llobet, J.M., see Sánchez, D.J., 45
Loos, M.A., see Kedderis, G.L., 25

Madsen, D.C., see White, R.D., 15
Maroni, M., see Catenacci, G., 217
Matin, M.A., see Khan, M.A., 63
Melchert, R.B., see Welder, A.A., 227
Milner, J.A., see Wallig, M.A., 97
Miyamoto, K., see Sugiyama, T., 273
Mudd, J.B., see Peters, R.E., 53
Munday, R., see Babich, H., 69

Nagase, S., see Watanabe, S., 163
Nebbia, C., see Ugazio, G., 279
Nogawa, K., see Kido, T., 113
Nomura, M., see Sugiyama, T., 273

Oberg, L., see Peters, R.E., 53

Penney, D.G., see Katzman, G.M., 139
Peters, R.E., Inman, C., Oberg, L. and Mudd, J.B., Effect of ozone on metabolic activities of rat hepatocytes and mouse peritoneal macrophage, 53
Pimentel, R., see Junqueira, V.B.C., 211

Rowe, W.B., see White, R.D., 15

Saito, T., see Watanabe, S., 163
Sanborn, J.R., see Liu, C.H., 239
Sánchez, D.J., Domingo, J.L., Llobet, J.M. and Keen, C.L., Maternal and developmental toxicity of manganese in the mouse, 45
Sato, S., see Watanabe, S., 163
Shibata, M.-A., see Kawabe, M., 37
Shimada, H., see Sugiyama, T., 273
Simizu, K., see Junqueira, V.B.C., 211
Stern, A., see Babich, H., 69
Sugiyama, T., Shimada, H., Nomura, M. and Miyamoto, K., Aminoguanidine inhibits cell proliferation by prolongation of the mitotic phase, 273

Takahashi, O., A large dose of ergocalciferol does not cause deficient blood coagulation but is extremely toxic to rats, 257
Tamano, S., see Kawabe, M., 37
Tanaka, T., Behavioural effects of piperonyl butoxide in male mice, 155
Teo, S.K.O., see Kedderis, G.L., 25
Tomita, M., see Watanabe, S., 163
Travis, C., see Dees, C., 129
Trieff, N.M., Ficklen, D. and Gan, J., In vitro inactivation of glucose-6-phosphate dehydrogenase from human red blood cells by acrolein: A possible biomarker of exposure, 121

Ugazio, G., Burdino, E., Dacasto, M., Bosio, A., van 't Klooster, G. and Nebbia, C., Induction of hepatic drug metabolizing enzymes and interaction with carbon tetrachloride in rats after a single oral exposure to atrazine, 279

Van 't Klooster, G., see Ugazio, G., 279
Vancutsem, P.M. and Babish, J.G., Effects of ciprofloxacin and enrofloxacin on zoxazolamine kinetics, plasma concentration and sleeping times in mice, 1
Videla, L.A., see Junqueira, V.B.C., 211
Videla, L.A., see Fernández, V., 205

Wallig, M.A., Kuchan, M.J. and Milner, J.A., Differential effects of cyanohydroxybutene and selenium on normal and neoplastic canine mammary cells in vitro, 97
Watanabe, S., Sato, S., Nagase, S., Tomita, M. and Saito, T., Change of polyamine level in various tissues of male rats intoxicated with paraquat, 163
Welder, A.A., Grammas, P. and Melchert, R.B., Cellular mechanisms of cocaine cardiotoxicity, 227
White, R.D., Wilson, D.M., Glosson, J.A., Madsen, D.C., Rowe, W.B. and Goldberg, D.I., Toxicity evaluations of L-cysteine and Procysteine™, a cysteine prodrug, given once intravenously to neonatal rats, 15
Wilson, B.W., see Liu, C.H., 239
Wilson, D.M., see White, R.D., 15
Woodruff, T.J. and Bois, F.Y., Optimization issues in physiological toxicokinetic modeling: a case study with benzene, 181

Toxicology Letters, 69 (1993) 297–298
Elsevier Science Publishers B.V.

SUBJECT INDEX VOL. 69 (1993)

Acrolein, 121
Acrylonitrile, 25
Acute toxicity, 15
Aldrin, 63
Allopurinol, 205
Aminoguanidine, 273
Antioxidant, 205
Atrazine, 279, 217
Avian, 239
Axonal transport, 239

Behavioural toxicity, 155
Benzene, 181
Benzo(a)pyrene, 63
Biological monitoring, 217
Biomarker, 121
Blood coagulation, 257
Blood pressure, 139
BRL-3A, 273

Canine mammary tumor, 97
Carbon monoxide, 139
Carbon tetrachloride, 279
Carcinogenicity, 129
Cardiac myocyte, 249
Cardiotoxicity, 227
Cell cycle, 273
Cell proliferation, 273
Cell survival, 289
Cellular, 227
Chemical exposure, 121
Chloroform, 77, 249
Chlorophenol, 289
Ciprofloxacin, 1
Cleft palate, 197
Cocaethylene, 227
Cocaine, 227
Creatine phosphokinase, 249
Cyanide, 139
1-Cyano-2-hydroxy-3-butene, 97
2-Cyanoethylene oxide, 25
L-Cysteine, 15
Cytosol, 31

Desferrioxamine, 205
Developmental toxicity, 197
Di-*n*-butyl phthalate, 197
DNA synthesis, 129
Dose–response relationship, 113
Drug interaction, 1

Electrocardiogram, 139
Embryolethality, 45
Enrofloxacin, 1
Enzyme, 211
Enzyme leakage, 87
Erythrocyte, 121
Exercise-trained, 227
Exploratory behaviour, 155

Fetotoxicity, 45
Fluoroquinolone, 1
Food preservative, 171

Glucose, 139
Glucose-6-phosphate dehydrogenase, 121
Glutathione, 87, 97, 77
Glutathione metabolism, 211

Heart rate, 139
HeLa-S3, 273
Hepatocyte, 53
Hepatotoxicity, 257
Herbicide, 279
2-Hydroxy-1,4-naphthoquinone, 69
Hydroxylase, 63
Hypercalcemia, 257
Hypothermia, 139

Induction, 279
Isolated hepatocyte, 87, 77

Kinesin, 239

Lactate, 139
Lindane, 211, 63
Liver glutathione turnover, 211

Liver respiration, 205
Logistic regression analysis, 113
Lung, 63

Macrophage, 53
Male mice, 155
Mammalian cell, 273
Mammalian cell, cultured, 289
Manganese (II) chloride, 45
Maternal toxicity, 45
Maze learning, 155
Menadione, 69
Methyl hesperidin, 37
Methyl mercury, 87
Mice, 45, 171
β_2-Microglobulinuria, 113
Microtubule, 239
Mitosis, 129
Monte Carlo simulation, 181
Mouse, 37

1,4-Naphthoquinone derivative, 69
Neonatal rat, 15
Nephrotoxicity, 257
Neurotoxicity, 239
Neutral red cytotoxicity assay, 69
Normal canine mammary cell, 97

Occupational exposure, 217
Optimization method, 181
Organophosphate, 239
Oxidative stress, 205
L-2-Oxothiazolidine-4-carboxylate, 15
Ozone, 53

Paraquat, 163
Pharmacokinetic modeling, 129
Pharmacokinetics, 1
Phthalic acid ester, 197
Piperonyl butoxide, 155
Polyamine, 163
PR interval, 139
Pregnancy, 227
Procysteine™, 15
Protein kinace C, 31
Putrescine, 163

QT interval, 139

Rat, 197, 257, 171

Selenium, 97
Sodium benzoate, 171
Spermidine, 163
Spermine, 163
Structure–activity relationship, 289
Study 13-week, 37
Subacute, 171

T wave, 139
Teratogenicity, 197
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin, 31
Thymocyte, 31
Thyroid hormone, 205
Tissue distribution, 25
Total cadmium intake, 113
Toxicity, 171, 289
Toxicokinetic model, 181

Vascular, 227
Viability, 77, 249
Vitamin D, 257

Xenobiotic metabolizing enzyme, 279

Zoxazolamine, 1